

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	614	(315/97).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/04 15:22
S2	5386	"73"/\$.ccls. and (resonant with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 10:18
S3	3	S2 and (discharge adj lamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 15:06
S5	6	S2 and (heating adj circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 15:37
S6	1	("20030057872").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/04 15:22
S7	2528	315/224	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 15:37
S8	1706	S7 and light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 15:37
S9	1388	S8 and frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 15:38
S10	614	S9 and resonant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 15:38

S11	492	S10 and @pd<"20030703"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 15:45
S12	1	("20040183450").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/05 09:23
S13	1	("4564805").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/05 09:28
S14	1	("4743845").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/05 09:38
S15	39	oscilloscope and (measuring with voltage with function with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 09:45
S16	1036	(324/121R).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/05 09:46
S17	382	S16 and oscilloscope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 09:54
S18	467	S16 and oscilloscope and resonant freqency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 09:54
S19	5	S16 and oscilloscope and (resonant adj frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 09:55
S20	2	("3253216").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/05 11:22
S21	1	"measuring resonant frequency" and (two adj maxima) and (current or voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:24

S22	10	"measuring resonant frequency" and maxima and (current or voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:32
S23	1	("4564805").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/05 11:32